

Supplemental Label

PylexTM
herbicide

For broadcast use in residential turfgrass

This supplemental label expires May 31, 2018, and must not be used or distributed after this date.

Active Ingredient:

topramezone: [3-(4,5-dihydro-isoxazolyl)-2-methyl-4-(methylsulfonyl)phenyl](5-hydroxy-1-methyl-1*H*-pyrazol-4-yl)methanone 29.7%

Other Ingredients: 70.3%

Total: 100.0%

1 gallon contains 2.8 pounds of topramezone free acid.

EPA Reg. No. 7969-327

Directions For Use

- It is a violation of federal law to use this product in a manner inconsistent with its labeling.
- The supplemental labeling and the entire **Pylex**TM herbicide container label, EPA Reg. No. 7969-327, must be in possession of the user at the time of application.
- Read the label affixed to the container for **Pylex** before applying.
- Use of **Pylex** according to this labeling is subject to the use precautions and limitations imposed by the label affixed to the container for **Pylex**.

Use Information

Pylex may be applied as a postemergence broadcast spray to residential and nonresidential turfgrass.

Apply 1.0 to 1.5 fl ozs/A with properly calibrated ground equipment in sufficient water per acre to provide uniform spray distribution (at least 30 gallons of water per acre or at least 0.75 gallon per 1000 sq ft). Use low-pressure sprayers delivering between 20 and 40 PSI. Maintain continuous agitation during spraying with good mechanical or bypass agitation. Nozzle screens must be no finer than 50 mesh (100 mesh is finer than 50 mesh).

Check sprayer routinely to determine proper calibration. Flat fan, flood, or cone nozzles may be used. Arrange nozzles for uniform coverage of turfgrass and weeds. Adjust boom height, nozzle selection, and pressure to provide uniform coverage and minimize spray drift. Prevent overlaps that will increase rates above those labeled for use. Avoid application when winds may cause drift.

Restrictions and Limitations

- **DO NOT** apply more than 2.0 fl ozs of **Pylex** per acre (0.046 fl oz per 1000 sq ft) per application.
- **DO NOT** apply more than 4.0 fl ozs **Pylex** (0.089 lb ai) per acre (0.092 fl oz per 1000 sq ft) per year.
- **DO NOT** apply more than three times per season.
- **DO NOT** apply to golf course collars or greens.
- Maintain a 5-ft buffer between treated areas and bentgrass greens.
- **DO NOT** make applications of **Pylex** to drought-stressed turfgrass and/or drought-stressed weeds.
- **Except for control or suppression of the following, DO NOT** apply to Bahiagrass, Bermudagrass, buffalograss, carpetgrass, St. Augustinegrass, seashore paspalum, zoysiagrass, dichondra, or desirable clover.

-
- **DO NOT** apply more than 0.25 fl oz/A per application to creeping bentgrass. Sequential applications may be required to achieve desired level of weed control.
 - Direct spray, drift, or runoff will injure nontolerant turfgrass and ornamentals. **DO NOT** apply during conditions favoring drift from the target area. **DO NOT** apply within ornamental beds or to areas where runoff into those areas is likely to occur.
 - **DO NOT** apply to exposed feeder roots of trees or ornamentals or within the dripline of trees and other ornamental species.
 - **DO NOT** use clippings as mulch around flowers, ornamentals, trees, or in vegetable gardens.
 - **DO NOT** apply through any type of irrigation system.
 - **DO NOT** use to formulate or reformulate any other pesticide product that is not registered by EPA.
 - **DO NOT** apply **Pylex™ herbicide** by air.
 - **DO NOT** apply an organophosphate or carbamate insecticide within 7 days of applying **Pylex** or turfgrass injury may result.
 - To reduce movement into sensitive species such as bentgrass, avoid foot and vehicle traffic until spray has dried.

Conditions of Sale and Warranty

The **Directions For Use** of this product reflect the opinion of experts based on field use and tests. The directions are believed to be reliable and must be followed carefully. However, it is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or use of the product in a manner inconsistent with its labeling, all of which are beyond the control of BASF CORPORATION ("BASF") or the Seller. To the extent consistent with applicable law, all such risks shall be assumed by the Buyer.

BASF warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the **Directions For Use**, subject to the inherent risks, referred to above.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BUYER'S EXCLUSIVE REMEDY AND BASF'S EXCLUSIVE LIABILITY, WHETHER IN CONTRACT, TORT, NEGLIGENCE, STRICT LIABILITY, OR OTHERWISE, SHALL BE LIMITED TO REPAYMENT OF THE PURCHASE PRICE OF THE PRODUCT.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BASF AND THE SELLER DISCLAIM ANY LIABILITY FOR CONSEQUENTIAL, EXEMPLARY, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

BASF and the Seller offer this product, and the Buyer and User accept it, subject to the foregoing **Conditions of Sale and Warranty** which may be varied only by agreement in writing signed by a duly authorized representative of BASF.

1108

Pylex is a trademark of BASF.

© 2015 BASF Corporation
All rights reserved.

007969-00327.20141119c.NVA 2014-04-382-0228
Based on: NVA 2014-04-382-0227

BASF Corporation
26 Davis Drive
Research Triangle Park, NC 27709

 **BASF**

We create chemistry

